# Author index


Allen, G. *see* Kuchitsu, K.
Assmann, S.M. *see* Pandey, S.
Ayres, P & Ingram, J. Promoting plant science, 1

Bâ, A.M. *see* Founoune, H.
Baker, A.J.M. *see* White, P.
Bean, G.J., Marks, M.D., Hülskamp, M., Clayton, M. & Croxdale, J.L. Tissue patterning of *Arabidopsis* cotyledons, 461
Beck, A., Kasalicky, T. & Rambold, G. Myco-photobiontal selection in a Mediterranean cryptogram community with *Fulgensia fulgida*, 317
Beerling, D.J. & Royer, D.L. Reading a $CO_2$ signal from fossil stomata, 387
Berlyn, G.P. *see* Richardson, A.D.
Bertin, N. *see* Niinemets, Ü.
Black, K.G., Parsons, R. & Osborne, B.A. Uptake and metabolism of glucose in the *Nostoc-Gunnera* symbiosis, 297
Blatt, M.R. Toward understanding vesicle traffic and the guard cell model, 405
Branget, I. *see* Founoune, H.
Broadley, M.R. *see* White, P.
Burrows, G.E. Epicormic strand structure in *Angophora*, *Eucalyptus* and *Lophostemon* (Myrtaceae) – implications for fire resistance and recovery, 111

Cairney, J.W.G. *Pisolithus* – death of the pan-global super fungus, 199
Calfapietra, C. *see* Gielen, B.
Ceschia, E. *see* Damesin, C.
Ceulemans, R. *see* Gielen, B.
Chaffey, N.J. Why is there so little research into the cell biology of the secondary vascular system of trees?, 213
Chen, J. *see* Song, Z.
Chotte, J.L. *see* Founoune, H.
Cizková, H. *see* Soukup, A.
Claus, A. *see* Gielen, B.
Clayton, M. *see* Bean, G.J.
Colebatch, G., Trevaskis, B. & Udvardi, M. Functional genomics: tools of the trade, 27
Colebatch, G., Trevaskis, B. & Udvardi, M. Symbiotic nitrogen fixation research in the postgenomics era, 37
Colmer, T.D. *see* Malik, A.I.
Coursol, S.A. *see* Pandey, S.
Croxdale, J.L. *see* Bean, G.J.

Dahlman, L., Näsholm, T. & Palmqvist, K. Growth, nitrogen uptake, and resource allocation in the two tripartite lichens *Nephroma arcticum* and *Peltigera aphthosa* during nitrogen stress, 307
Damesin, C., Ceschia, E., Le Goff, N., Ottorini, J.-M. & Dufrêne, E. Stem and branch respiration of beech: from tree measurements to estimations at the stand level, 159
Darrah, P.R. *see* Tlalka, M.
Davies, W.J., Wilkinson, S. & Loveys, B. Stomatal control signalling and the exploitation of this mechanism to increase water use efficiency in agriculture, 449
Delaruelle, C. *see* Martin, F.
Dell, B. *see* Martin, F.
Diez, J. *see* Martin, F.
Drouillard, D.L. *see* Jifon, J.L.
Dufrêne, E. *see* Damesin, C.
Duigan, S.P. *see* Richardson, A.D.
Duponnois, R. *see* Founoune, H.

Eissenstat, D.M. *see* Fisher, M.C.T.
Ellis, T.H.N. & Poyser, S.J. An integrated and comparative view of pea genetic and cytogenetic maps, 17
Evans, N.H. *see* Mcainsh, M.R.

Fenoll, C. *see* Serna, L.
Ferrari, A. *see* Valverde, C.
Fisher, M.C.T., Eissenstat, D.M. & Lynch, J.P. Lack of evidence for programmed root senescence in common bean (*Phaseolus vulgaris*) grown at different levels of phosphorus supply, 63
Founoune, H., Duponnois, R., Bâ, A.M., Sall, S., Branget, I., Lorquin, J., Neyra, M. & Chotte, J.L. Mycorrhiza helper bacteria stimulate ectomycorrhizal symbiosis of *Acacia holosericea* with *Pisolithus alba*, 81
Frechilla, S. *see* Zeiger, E.
Fricker, M.D. *see* Tlalka, M.

Geisler, M.J. & Sack, F.D. Variable timing of developmental progression in the stomatal pathway in *Arabidopsis* cotyledons, 469
Gentili, F. & Huss-Danell, K. Phosphorus modifies the effects of nitrogen on nodulation in split-root systems of *Hippophaë rhamnoides*, 53
Gielen, B, Calfapietra, C., Claus, A., Sabatti, M. & Ceulemans, R. Crown architecture of *Populus* spp. is differently modified by free-air $CO_2$ enrichment (POPFACE), 91
Graham, J.H. *see* Jifon, J.L.
Gray, J.E. *see* Holroyd, G.H.
Grill, D. *see* Herschbach, C.
Groom, P.K. *see* Lamont, B.B.
Gump, P. *see* Olsen, R.L.
Gunderson, C.A. *see* Wullschleger, S.D.

Hanson, P.J. *see* Wullschleger, S.D.
Hart, M. & Reader, R.J. Taxonomic basis for variation in the colonization strategy of arbuscular mycorrhizal fungi, 335
Hauff, K. *see* Niinemets, Ü.
Hedrich, R. *see* Roelfsema, M.R.G.

Herschbach, C., Pilch, B., Tausz, M., Rennenberg, H. & Grill, D. Metabolism of reduced and inorganic sulphur in pea cotyledons and distribution into developing seedlings, 73
Hetherington, A.M. *see* Holroyd, G.H.
Holroyd, G.H., Hetherington, A.M. & Gray, J.E. A role for the cuticular waxes in the environmental control of stomatal development, 433
Hülskamp, M. *see* Bean, G.J.
Huss-Danell, K. *see* Gentili, F.

Ineson, P. *see* Johnson, D.
Ingram, J. *see* Ayres, P.
Ingram, J. *see* Lewis, D.H.

Jifon, J.L., Graham, J.H., Drouillard, D.L. & Syvertsen, J.P. Growth depression of mycorrhizal *Citrus* seedlings grown at high phosphorus supply is mitigated by elevated $CO_2$, 133
Johnson, D., Leake, J.R., Ostle, N., Ineson, P. & Read, D.J. *In situ* $^{13}CO_2$ pulse labelling of upland grassland demonstrates a rapid pathway of carbon flux from arbuscular mycorrhizal fungal mycelia to the soil, 327
Jones, D. An holistic view of rhizosphere ecology, 211

Kasalicky, T. *see* Beck, A.
Kemper, A. *see* Olsen, R.L.
Kerstiens, G., Tych, W., Robinson, M.F. & Mansfield, T.A. Sodium-related partial stomatal closure and salt tolerance of *Aster tripolium*, 509
Kuchitsu, K., Ward, J.M., Allen, G., Schelle, I. & Schroeder, J. Loading acetoxymethyl (AM) ester fluorescent dyes into the cytoplasm of *Arabidopsis* and *Commelina* guard cells, 527

Lake, J.A. *see* Woodward, F.I.
Lambers, H. *see* Malik, A.I.
Lamont, B.B. & Groom, P.K. Green cotyledons of two *Hakea* species control seedling mass and morphology by supplying mineral nutrients rather than organic compounds, 101
Lavigne, M.P. Woody-tissuerespiration, 8
Le Goff, N. *see* Damesin, C.
Leake, J.R. *see* Johnson, D.
Lewis, D.H. & Ingram, J. A brief history of *New Phytologist*, 10
Lorquin, J. *see* Founoune, H.
Loveys, B. *see* Davies, W.J.
Lu, B. *see* Song, Z.
Lynch, J.P. *see* Fisher, M.C.T.

Malik, A.I., Colmer, T.D., Lambers, H., Setter, T.L. & Schortemeyer, M. Short-term waterlogging has long-term effects on the growth and physiology of wheat, 225
Mansfield, T. Obituary, 370
Mansfield, T.A. *see* Kerstiens, G.
Marks, M.D. *see* Bean, G.J.
Markwell, J. Nondestructive chlorophyll assessment, 7
Martin, F., Diez, J., Dell, B. & Delaruelle, C. Phylogeography of the ectomyocorrhizal *Pisolithus* species as inferred from nuclear ribosomal DNA ITS sequences, 345
McAinsh, M.R., Evans, N.H., Montgomery, L.T. & North, K.A. Calcium signalling in stomatal responses to pollutants, 441
Montgomery, L.T. *see* Mcainsh, M.R.
Muhsin, T.M. & Zwiazek, J.J. Ectomycorrhizas increase apoplastic water transport and root hydraulic conductivity in Ulmus americana seedlings, 153

Näsholm, T. *see* Dahlman, L.
Neyra, M. *see* Founoune, H.
Niinemets, Ü, Hauff, K., Bertin, N., Tenhunen, J.D., Steinbrecher, R. & Seufert, G. Monoterpene emissions in relation to foliar photosynthetic and structural variables in Mediterranean evergreen *Quercus* species, 243
Niinemets, Ü., Seufert, G., Steinbrecher, R. & Tenhunen, J.D. A model coupling foliar monoterpene emissions to leaf photosynthetic characteristics in Mediterranean evergreen *Quercus* species, 257
Norby, R.J. *see* Wullschleger, S.D.
North, K.A. *see* Mcainsh, M.R.

Olsen, R.L., Pratt, R.B., Gump, P., Kemper, A. & Tallman, G. Red light activates a chloroplast-dependent ion uptake mechanism for stomatal opening under reduced $CO_2$ concentration in *Vicia* spp., 497
Olsen, S. Novel methodology and analytical approaches, 6
Osborne, B.A. *see* Black, K.G.
Ostle, N. *see* Johnson, D.
Ottorini, J.-M. *see* Damesin, C.

Palmqvist, K. *see* Dahlman, L.
Pandey, S., Wang, X.-Q., Coursol, S.A. & Assmann, S.M. Preparation and application of *Arabidopsis* guard cell protoplasts, 517
Parsons, R. *see* Black, K.G.
Pendall, E. Where does all the carbon go? The missing sink, 207
Pilch, B. *see* Herschbach, C.
Ponder, K.L., Watson, R.J., Malone,M. & Pritchard, J. Mineral content of excreta from the spittlebug *Philaenus spumarius* closely matches that of xylem sap, 237
Poyser, S.J. *see* Ellis, T.H.N.
Pratt, R.B. *see* Olsen, R.L.

Quick, W.P. *see* Woodward, F.I.

Rambold, G. *see* Beck, A.
Raven, J.A. Selection pressures on stomatal evolution, 371
Read, D.J. *see* Johnson, D.
Reader, R.J. *see* Hart, M.
Rennenberg, H. *see* Herschbach, C.
Richardson, A.D., Duigan, S.P. & Berlyn, G.P. An evaluation of noninvasive methods to estimate foliar chlorophyll content, 185
Robinson, M.F. *see* Kerstiens, G.

Roelfsema, M.R.G. & Hedrich, R. Studying guard cells in the intact plant: modulation of stomatal movement by apoplastic factors, 425
Royer, D.L. *see* Beerling, D.J.

Sabatti, M. *see* Gielen, B
Sack, F.D. *see* Geisler, M.J.
Sall, S. *see* Founoune, H.
Schelle, I. *see* Kuchitsu, K.
Schortemeyer, M. *see* Malik, A.I.
Schroeder, J. *see* Kuchitsu, K.
Schumacher, T. *see* Vrålstad, T.
Serna, L., Fenoll, C. & Torres-Contreras, J. Specification of stomatal fate in *Arabidopsis*: evidence for cellular interactions, 399
Setter, T.L. *see* Malik, A.I.
Seufert, G. *see* Niinemets, Ü.
Seufert, G. *see* Niinemets, Ü.
Shipley, B. & Vu, T.-T. Dry matter content as a measure of dry matter concentration in plants and their parts, 359
Song, Z., Lu, B., Zhu, Y. & Chen, J. Pollen competition between cultivated and wild rice species (*Oryza sativa* and *O. rufipogon*), 289
Soukup, A., Votrubová, O. & Cizková, H. Development of anatomical roots of *Phragmites australis*, 277
Sprent, J. Knobs, knots and nodules – the renaissance in legume symbiosis research, 2
Srivastava, A. *see* Zeiger, E.
Steinbrecher, R. *see* Niinemets, Ü.
Steinbrecher, R. *see* Niinemets, Ü.
Syvertsen, J.P. *see* Jifon, J.L.

Talbot, L.D. *see* Zeiger, E.
Tallman, G. *see* Olsen, R.L.
Tausz, M. *see* Herschbach, C.
Taylor, A.F.S. *see* Vrålstad, T.
Tenhunen, J.D. *see* Niinemets, Ü.
Tenhunen, J.D. *see* Niinemets, Ü.
Tlalka, M., Watkinson, S.C., Darrah, P.R. & Fricker, M.D. Continuous imaging of amino-acid translocation in intact mycelia of *Phanerochaete velutina* reveals rapid, pulsatile fluxes, 173
Torres-Contreras, J. *see* Serna, L.
Trevaskis, B. *see* Colebatch, G.
Trevaskis, B. *see* Colebatch, G.
Tych, W. *see* Kerstiens, G.

Udvardi, M. *see* Colebatch, G.
Udvardi, M. *see* Colebatch, G.

Valverde, C., Ferrari, A. & Wall, G.W. Phosphorus and the regulation of nodulation in the actinorhizal symbiosis between *Discaria trinervis* (Rhamnaceae) and *Frankia* BCU110501, 43
Votrubová, O. *see* Soukup, A.
Vrålstad, T., Schumacher, T. & Taylor, A.F.S. Mycorrhizal synthesis between fungal strains of the *Hymenoscyphus ericae* aggregate and potential ectomycorrhizal and ericoid hosts., 143
Vu, T.-T. *see* Shipley, B.

Wall, G.W. *see* Valverde, C.
Wang, X.-Q. *see* Pandey, S.
Ward, J.M. *see* Kuchitsu, K.
Watkinson, S.C. *see* Tlalka, M.
Webb, A.A.R. Stomatal biology: new techniques, new challenges, 365
White, P., Whiting, S.N., Baker, A.J.M. & Broadley, M.R. Does zinc move apoplastically to the xylem in roots of *Thlaspi caerulescens*?, 201
Whiting, S.N. *see* White, P.
Wilkinson, S. *see* Davies, W.J.
Wilson, K.B. *see* Wullschleger, S.D.
Woodward, F.I., Lake, J.A. & Quick, W.P. Stomatal development and $CO_2$: ecological consequences, 477
Wullschleger, S.D., Gunderson, C.A., Hanson, P.J., Wilson, K.B. & Norby, R.J. Sensitivity of stomatal and canopy conductance to elevated $CO_2$ concentration – interacting variables and perspectives of scale, 485

Zeiger, E., Talbot, L.D., Frechilla, S., Srivastava, A. & Zhu, J. The guard cell chloroplast: a perspective for the 21st century, 415
Zhu, J. *see* Zeiger, E.
Zhu, Y. *see* Song, Z.
Zwiazek, J.J. *see* Muhsin, T.M.

# Keyword index

abscisic acid (ABA), 527
abscisic acid, 425
abscisic acid, 517
absisic acid (ABA), 449
absorbance, 185
absorbency, 7
*Acacia*, 81, 345
acetoxymethyl ester fluorescent dye, 527
actinorhizal plants, 43
actinorhizal, 53
adventitious roots, 225
altitude, 477
amino acid transport, 6
amino-acid transport, 173
anatomy, 111
anion channel, 517
annual carbon budget, 8, 159
anthocyanin, 477
apoplast, 201
apoplastic solutes, 425
*Arabidopsis thaliana*, 517
*Arabidopsis*, 213, 399, 461, 469, 477, 527
arbuscular mycorrhiza, 327
arbuscular mycorrhizal fungi, 335
arbuscular mycorrhizas, 133
*Aster tripolium* L. (*Tripolium vulgare*), 509
atmospheric $CO_2$, 387
auxin, 425

bioinformatics, 27
blue light, 415
branch angles, 91
branching, 91

$^{13}C$, 327
Calcium Green-1, 527
calcium homeostasis, 441
calcium imaging, 527
cambium, 213
canopy transpiration, 485
carbohydrates, 225
carbon cycling, 327
carbon dioxide, 433, 477
carbon flow, 327
carbon reserves, 101
carbon, 207
Casparian bands, 277
cell biology, 213
cellular interactions, 399
chemical signalling, 449
chitin, 307
Chl*a* : Chl*b*, 185
chlorophyll measurement, 7
chlorophyll, 185, 307
classification of specificity/selectivity, 317
climate change modelling, 365
$CO_2$, 415, 497
colonization extent, 335
colonization rate, 335
*Commelina*, 527
common bean (*Phaseolus vulgaris*), 63
comparative genetic maps, 17
coppice, 111
cotyledon, 73, 469
cotyledons, 101
crown architecture, 91
cysteine, 73
cytogenetic map, 17
cytosolic free calcium, 441

dark septate endophytes (DSE), 143
development, 469
*Discaria trinervis*, 43
dry matter concentration, 359
dry matter content, 359

ectomycorrhiza, 143
ectomycorrhizal fungus, 345
ectomycorrhizas, 81, 153, 339
elevated $CO_2$, 91, 207
embryophytes, 371
emission model, 257
endodermis, 277
$^{13}C$ enrichment, 297
environment, 387
epicormic bud strand, 111
epidermal patterning, 461
epidermis, 433, 469
ergosterol, 307
ericoid mycorrhiza, 143
eucalypt, 111
*Eucalyptus*, 111, 345
evapotranspiration, 485
evolution, 365, 371
exodermis, 277
extra-radicle mycelium, 335

*Fagus sylvatica* (beech), 159
*Fagus sylvatica* (beech), 8
fire resistance, 111
flowering, 477
foliar morphology, 257
forest production, 339
forest water use, 485
fossils, 387
*Frankia*, 43, 53
free-air $CO_2$ enrichment (FACE), 91
functional genomics, 27
functional groups, 335
Fura-2, 527

gas exchange, 365
gene expression, 517
genetics, 27
genotype, 387
global change, 485
*Glomus intraradices*, 133
glucose uptake, 297
glutathione, 73
growth, 509
guard cell biology, 365
guard cell chloroplast, 415, 497, 517
guard cell, 425, 433, 441, 497, 527

*Hakea*, 101
hand-held meters, 7
Helper Bacteria, 81
*Hippophaë rhamnoides*, 53
hydraulic conductance, 153
hyperaccumulation, 201
identifiability, 509

inorganic ions, 327
intercellular infection, 43
internal transcribed spacer (ITS), 143
internal transcribed spacers, 345
intramolecular signalling processes, 365
intraradicle mycelium, 335
isotopic analyses, 207

$K^+$ channel, 517
Kyoto Protocol, 207

leaf dry mass per unit area (LMA), 243
leaf optical properties, 185
leaf temperature, 449
Lecanorales, 317
Legume, 37
legumes, 2
lichen growth, 307

lichens, 317
life forms, 371
lignin, 277
liming, 327
lineage, 399
linkage map, 17
*Liquidambar styraciflua* (sweetgum), 485
*Lotus japonicus*, 2

mass concentration of dry matter, 359
*Medicago truncatula*, 2
membrane fusion, 405
mercuric chloride ($HgCl_2$), 153
meristem, 111
mesh cores, 327
metabolome, 27
metabolome, 37
mineral nutrition, 101
minirhizotrons, 63
models, 213
monoterpenoid emission, 243, 257
monoterpenoid storage, 243
monoterpenoid synthase, 257
mycelia, 6
*Mycelium radicis atrovirens* (MRA), 143
mycobiont, 317
mycorrhizal synthesis, 143

$^{15}N$, 307
$N_2$ fixation, 43
nitrogen dioxide, 441
nitrogen stress, 307
nitrogen translocation, 6
nitrogen uptake, 307
nitrogen, 53, 225
nod genes, 2
nodulation, 43, 53
*Nostoc–Gunnera* symbiosis, 297
nuclear ribosomal DNA ITS sequences, 339
nutrient interactions, 53
nutrient reserves, 101

*O. sativa*, 289
optical methods, 7
organic anions, 425
*Oryza rufipogon*, 289
ozone, 441

palaeobotany, 387
palaeoclimate, 387
paper birch (*Betula papyrifera*), 7
*Paphiopedilum*, 415
partial root zone drying, 449
pattern, 399
pea, 17
pH, 449
*Phanerochaete velutina*, 173
*Phanerochaete velutina*, 6
phenotype, 387
*Phialophora finlandia*, 143
*Philaenus spumarius*, 327
phospholipase D, 517
phosphorus, 43, 53, 63
photobiont, 317
photosynthesis rate, 243
photosynthesis, 133, 371
photosynthetic carbon fixation, 415
photosynthetic electron transport, 243
photosynthetic electron transport, 257
*Phragmites*, 277
phylogenetic species, 345
phylogeography, 339
phylogeography, 345
phytoremediation, 201
pigment, 185
*Pisolithus tinctorius*, 339
*Pisolithus*, 81, 339, 345
*Pisum sativum* (pea), 2, 73
*Pisum sativum*, 17
plant endomembrane, 405
plant nutrition, 43, 63
plant physiology, 365
plasticity, 415
pollen competition, 289
pollutant, 441
POPFACE, 91
poplar, 91, 231
*Populus*, 91
precursor, 469
proteome, 27, 37
*Pseudomonas*, 81

red edge, 185
red light transduction, 497
reflectance, 7, 185
relichenization, 317
reproductive isolation, 289
resource allocation, 307
respiration, 133, 327
resprouting, 111
rhizobia, 2
rhizobium, 37
rhizosphere, 81
ribosomal DNA, 345
root anatomy, 277
root death, 63
root growth, 225
root turnover, 63
root : shoot ratio, 101

salt marsh, 509
salt tolerance, 509
sap velocity, 485
scaling, 159
scaling, 8
scintillation imaging, 6, 173
sea aster, 509
seasonal change, 8, 159
secondary vascular system, 213
seedlings, 101
selectivity, 317
seminal roots, 225
senescence, 63
sequential pollination, 289
signalling, 441, 477
SNARE proteins, 405
soil fertility, 101
sour orange (*Citrus aurantium*), 133
specific leaf area, 359
specificity, 317
spectral index, 185
spittlebug, 327
split-root, 53
stable isotope, 327
stoma, 399
stomata, 387, 441, 461, 469, 477, 497, 517
stomatal biology, 365
stomatal conductance, 509
stomatal development, 433
stomatal guard cell, 405, 449
stomatal movement, 425
storage tissue, 73
suberin, 277
sulphate, 73
sulphur dioxide, 441
sulphur, 73
sweet orange (*Citrus sinensis*), 133
symbiosis, 2
symplast, 201

techniques, 365
Teloshistaceae, 317
temperature, 8, 153, 159
*Thlaspi caerulescens*, 201
timing, 469
tissue density, 359
tracing carbon, 207
transcriptome, 27, 37
transpiration, 485
trees (wood formation), 213
trichomes, 461

*Triticum aestivum* L., 225
trunk respiration, 8, 159

*Vaccinium myrtillus*, 477
vesicle trafficking pathways, 405
volatile compounds, 243, 257

water channels, 153
water relations, 371
water use efficiency, 449
waterlogging, 225
wax, 433

xylem sap sampling, 327
xylem, 327

zeaxanthin, 415
zinc, 201